


b: Genişlik
d: Büküm
h: Yükseklik
c: Tırnak uzunluğu
t: Kalınlık
r: Büküm yarıçapı = 2 ~ 4


b: Width
d: Bending
h: Height
c: Lip length
t: Thickness
r: Bending radius = 2 ~ 4



b	h	c	d	t	açınım opening	alan area	ağırlık weight	I_x	S_x	r_x	I_y	S_y	r_y	e_x
mm	mm	mm	mm	mm	mm	F/cm ²	kg/m	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm	cm
35	39.7	12	5.8	0.7	149	1.04	0.81	2.44	1.22	1.53	6.99	1.52	2.59	4.57
		12	6.0	0.8		1.19	0.93	2.78	1.39	1.52	8.00	1.74	2.59	4.58
		12	6.4	1		1.48	1.16	3.45	1.72	1.52	10.00	2.17	2.59	4.59
		12	6.9	1.2		1.78	1.40	4.11	2.06	1.51	12.05	2.61	2.59	4.60
		12	7.5	1.5		2.23	1.75	5.07	2.53	1.50	15.08	3.26	2.59	4.62
		12	8.5	2		2.97	2.33	6.61	3.26	1.49	20.13	4.33	2.60	4.64

b: Genişlik
h: Yükseklik
c: Tırnak uzunluğu
t: Kalınlık
r: Büküm yarıçapı = 2 ~ 4

b: Width
h: Height
c: Lip length
t: Thickness
r: Bending radius = 2 ~ 4



b	h	c	t	açınım opening	alan area	ağırlık weight	I_x	S_x	r_x	I_y	S_y	r_y	e_x
mm	mm	mm	mm	mm	F/cm ²	kg/m	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm	cm
35	40	12	0.8	130	1.0397	0.8154	2.3390	1.2946	1.4999	2.9640	1.0328	1.6885	2.8700
		12.5	1		1.2999	1.0195	2.9120	1.5978	1.4968	3.7140	1.2808	1.6904	2.9000
		13	1.2		1.5602	1.2236	3.4800	1.8929	1.4935	4.4700	1.5256	1.6926	2.9300
		13.7	1.5		1.9494	1.5289	4.3140	2.3192	1.4877	5.6030	1.8865	1.6953	2.9700
		14.9	2		2.5987	2.0380	5.6740	2.9908	1.4776	7.5310	2.4773	1.7024	3.0400

b	h	c	t	açınım opening	alan area	ağırlık weight	I_x	S_x	r_x	I_y	S_y	r_y	e_x
mm	mm	mm	mm	mm	F/cm ²	kg/m	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm	cm
35	50	11.5	0.8	149	1.1917	0.9346	3.9610	1.7434	1.8232	3.3670	1.1941	1.6810	2.8200
		12	1		1.4899	1.1685	4.9400	2.1575	1.8208	4.2100	1.4771	1.6809	2.8500
		12.5	1.2		1.7882	1.4024	5.9120	2.5629	1.8183	5.0540	1.7550	1.6812	2.8800
		13.2	1.5		2.2344	1.7524	7.3480	3.1529	1.8135	6.3150	2.1627	1.6811	2.9200
		14.4	2		2.9787	2.3361	9.7060	4.0938	1.8051	8.4390	2.8226	1.6832	2.9900